7 4 8.

REMARKS: 10-26-61 DATE FILED U-015887 INDIAN STATE LEASE NO. PUBLIC LEASE NO. LAND: FEE & PATENTED 10-26-61 DRILLING APPROVED: SPUDDED IN: COMPLETED: INITIAL PRODUCTION: GRAVITY A. P. I. GOR: PRODUCING ZONES: TOTAL DEPTH: WELL ELEVATION: DATE ABANDONED: FIELD OR DISTRICT: Wildcat San Juan COUNTY: 43-037-11358 SPILLER CANYON USA-B 1 WELL NO. 20 1820 500 FT. FROM (E) WE LINE NE SE NE QUARTER - QUARTER SEC. FT. FROM (N) (S) LINE, LOCATION: OPERATOR OPERATOR TWP. RGE. SEC. TWP. RGE. SEC.

30 S

25 E

PURE OIL COMPANY

Entered in NID File Entered On'S R Sheet Location Map Pinned Cerd Indexed I V R for State or Fee Land COMPLETION DATA: Date Well Completed OW	Checked by Chief Copy NID to Field Office Approval Letter Disapproval Letter Location Inspected Bond released State of Fee Land
Driller's Log. Electric Logs (No. 1) E E-1	GR GRN Micro

Www. 43



## THE PURE OIL COMPANY

NORTHERN PRODUCING DIVISION . Four Corners District

P.O. BOX 265 • MOAB, UTAH • Alpine 3-358

October 25, 1961

Mr. C. B. Feight
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Dear Sir:

Enclosed in duplicate is the Intention to Drill for Spiller Canyon USA-B No. 1, located in Section 20, T-30S, R-25E, San Juan County, Utah. You will note that the Location Plat has not been enclosed. We will submit the Location Plat to you as soon as we receive it in our office, probably by Friday, October 27, 1961.

If there is anything more that you need on this Intention to Drill, please let me know.

Yours very truly,

THE PURE OIL COMPANY

 $^{\prime}$ J. B. Strong  $^{\prime}$  District Chief Clerk

#### (SUBMIT IN DUPLICATE)

# STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

LAND:
Fee and Patented
Public Domain
Indian

		EPORTS ON	WEDED
otice of Intention to Drill	Subs	equent Report of Alte equent Report of Red lementary Well Histo	ter Shut-offring Casingrilling or Repairry
(INDICATE ABOVE BY	CHECK MARK NATURE OF RE	PORT, NOTICE, OR OTHER DATA)	
Spiller Canyon USA-B Well Nol is located .18.20			E line of Sec. 20
SE NE Sec. 20 30S (1/4 Sec. and Sec. No.)	wp.)	25 <b>E</b> (Range)	SaL.PaMe (Meridian)
Wildcat (Field)	• •		,
jobs, cementing points, and all other important	DETAILS OF We sands; show sizes, we work, surface formation	eights, and lengths of pro	posed casings; indicate mudding
(State names of and expected depths to objective jobs, cementing points, and all other important of the proposed Casing Program:  75° - 16° OD Conductor casing 1,000° - 10-3/4° OD Surface cases 9,800° - 5-1/2° OD Production	we sands; show sizes, we work, surface formations (Cemented to String (Cemented String)	eights, and lengths of proon, and date anticipate sponsor surface) to surface) to surface) d with sufficient	posed casings; indicate mudding oudding-in.)
Proposed Casing Program:  75' - 16" OD Conductor casi 1,000' - 10-3/4" OD Surface ca	we sands: show sizes, we work, surface formations (Cemented to String (Cemented String) (Cemented Conditions)	eights, and lengths of proon, and date anticipate spots surface) to surface)	posed casings; indicate mudding oudding-in.)
jobs, cementing points, and all other important  Proposed Casing Program:  75' - 16" OD Conductor casi  1,000' - 10-3/4" OD Surface ca  9,800' - 5-1/2" OD Production	we sands: show sizes, we work, surface formations (Cemented to String (Cemented String) (Cemented Conditions)	eights, and lengths of proon, and date anticipate sponsor surface) to surface) to surface) d with sufficient	posed casings; indicate mudding oudding-in.)
proposed Casing Program:  75' - 16" OD Conductor casi 1,000' - 10-3/4" OD Surface ca 9,800' - 5-1/2" OD Production  Principal objective: Mississipp Estimated Total Depth: 9,800'	we sands: show sizes, we work, surface formations (Cemented to String; (Cemented Conditions)  ian  we approval in writing	eights, and lengths of prom, and date anticipate spon, and date anticipate spon surface) to surface) to surface) downth sufficient ons encountered)	posed casings; indicate mudding pudding-in.)  cement to meet  e operations may be commenced.
proposed Casing Program:  75' - 16" OD Conductor casi 1,000' - 10-3/4" OD Surface ca 9,800' - 5-1/2" OD Production  Principal objective: Mississipp  Estimated Total Depth: 9,800'  I understand that this plan of work must receive	we sands: show sizes, we work, surface formations (Cemented to String; (Cemented Conditions)  ian  we approval in writing	eights, and lengths of prom, and date anticipate spon, and date anticipate spon surface) to surface) to surface) d with sufficient cons encountered)	posed casings; indicate mudding pudding-in.)  cement to meet  e operations may be commenced.

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

			THE	PURE OIL COM	PANY			
Date	October 25	, 1961		ATION REP		.E. No		
Distalan	Northern	Producing		er Canyon Comers A <u>rea</u>	Lassa UaSaAa	r Canyo (Utah	n 015887)	The second second
				Ungra	ided G <b>roun</b> d U	.S.A.		
Асгеs	160	Lease No. 8151		Elevation_6	DIK.	<u>-1</u>	(Serial No	)
Quadrang	JIO SE NE	Sec.	20 <sub>Twp</sub> . 30	OS <u>Rge</u> 25E	Dist. Twp			
Survey	S.L.P.M		CountySa	ın Juan	State	Utah		<del></del>
Operator.		e Oil Company		Map_Uta	ah 1-4			
1820	Feet Sout	h of the North	line of Section	<u>)n</u>		LEGE		
500			line of		-∯- Gas Well	O Loca		Abandoned Location
			line of		Oil Well			Abandoned Gas Well
		`			Gas—Dist			Abandoned Oil Well
					Ø or -O- Dry Hole		<i>-</i>	Input Well
			PURE OI	L	PURE OIL		•	
		18 PURE OIL	17	-	16			N
			SUPERIOR • 47-17	, 1	ERIOR 47-16			
		UTAH 06794 U.S.A.	O <sup>I</sup> UTAH U.S	06780-B	M.L. 3536 State of Utah			
		PURE OIL	PUBCO P	URE OIL O				
		SUPERIOR ••••••••••••••••••••••••••••••••••••		B-I B-I UTAH 015887500	O <sup>2-21C</sup>			
		19	26	U. S. A.	21			
						į		•
						SUPERIOR	38	
		UTAH 05530 U.S.A.,	L .	1 012450 5. A.		<b>ф</b>	~	
			PURE C	)IL				
			S.L. 070 U. S.					
		30	29		28	1		

Remarks:			, Scale 2"= I MILE
Submitted by Sudicke	Civil Engineer	Approved by	Division Manager
		Approved by	Vice-President — General Manager

#### October 26, 1961

The Pure Oil Company P. O. Box 265 Mosb, Utah

Attn: J. B. Strong, Dist. Chief Clerk

#### Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Spiller Canyon USA-B #1, which is to be located 1820 feet from the north line and 500 feet from the east line of Section 20, Township 30 South, Range 25 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT, EXECUTIVE DIRECTOR

CBF: awg

cc: Jerry W. Long, Dist. Eng. U. S. Geological Survey

H. L. Coonts - OGCC, Moab

### P. O. Box 1809 Durange, Colorade

October 30, 1961

The Pure Oil Company P. O. Bex 265 Meab, Utah

#### Gentlemen:

Since your No. 1 Spiller Canyon USA "B" well, located on Federal lease Utah 01588? in the SENNER sec. 20, T. 30 S., R. 25 E., San Juan County, Utah, is located within an area designated as a valuable deposit of potash, approval for drilling an oil or gas test is approved subject to the following stipulations:

- 1. Camma-Ray log be run at least through the salt section.
- 2. A directional survey of the bore hole to be run from the surface to the base of lowest potash some.
- 3. If the well is cased, cement will be placed behind the casing from a point at least 50 feet below the base of the salt to a point at least 50 feet above the top of the salt. The top of the cement to be verified by a temperature log. Notify this office in order that we may witness this cementing.
- 4. Notify this office and the Mining Branch, U. S. Geological Survey, phone Davis 8-2911, ext. 430, Salt Lake City, Utah, at least 12 hours prior to the anticipated plugging operations.

Very truly yours,

(Orig. Sigd) JOHN DULETSKY

John Duletsky Acting District Engineer

Utah O&GCC, Salt Lake City Utah O&GCC, Meab
U.S.G.S. Mining Branch, Salt Lake City
U.S.G.S., Roswell

EDWIN W. SENIOR
(1901—1925)

CLAIR M. SENIOR
RAYMOND T. SENIOR
FRANCIS M. GIBBONS
EDWARD M. BOWN
PARKER M. NIELSON

### SENIOR & SENIOR

ATTORNEYS AT LAW

IO EXCHANGE PLACE

SALT LAKE CITY

December 18, 1961

Oil and Gas Conservation Commission of Utah Newhouse Building Salt Lake City 11, Utah

RE: Cause No. 71

Gentlemen:

In accordance with the Commission's Findings and Order of November 29, 1961, and particularly paragraph numbered 4 of such Order, The Pure Oil Company does hereby withdraw the "Notice of Intention to Drill" filed by it with respect to a well location in Section 17, Township 30 South, Range 25 East, SLM; and also the "Notice of Intention to Drill" filed by it with respect to a well location in Section 20 of the same township.

Very truly yours,

SENIOR & SENIOR

Clair M. Senior

cms ys